

D Ø0.098 4 PL -R0.125 TYP R0.50 0.280 1.78 0.890 0.750 - 0.226 0.192 -0.227 -2.783 -<del>-</del> 3.24 -3.55 -4.600 5.10 **D3866-1F PLATE FLAT PATTERN** DESIGN DART AEROSPACE LTD NOTES: 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET 0.125 THICK PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.125) DRAWN HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED REV. A D3866 MFG. APPR. SHEET 4 OF 6 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX TITLE **APPROVED** SCALE MOUNT DE APPR. NTS

6

COPYRIGHT © 2009 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONTRIBENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS

NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DATE


3


09.01.13

6) IDENTIFICATION: N/A

8

7) WEIGHT: 0.10 lbs





7 6 5 4

8

3

2 RRITTEN PERMISSION FROM DART AEROSPACE LTD.